




www.vde-led.be


hansvanderelst@telenet.be


0475 / 81 98 02


LED FLOOD LIGHTS #2

Specification	Photo	Datasheet	Price/unit	Remarks	
150W Flood light		Power:	1*150W	257,11 €	1.the shell of the lamp adopts high-quality aluminum.2.the body of the lamp use toughened glass and is sealed by waterproof silica gel.
		Input Voltage:	85-265V AC		
		Color:	R/G/B/Y/W/WW		
		Lighting Source:	Intergled		
		Lumen:	16500LM		
		IP Protective level:	IP65		
		Viewing Angle:	80°/120°		
Material:	Cast aluminum				
200W Flood Light		Power:	1*100W*2	318,24 €	
		Input Voltage:	85-265V AC		
		Color:	White/Warm White		
		Lighting Source:	Intergled		
		Lumen:	22000LM		
		IP Protective level:	IP65		
		Viewing Angle:	80°/120°		
Material:	Aluminum alloy body				





50W Flood light		Power:	1*50W	71,37 €	
		Input Voltage:	85-265V AC		
		Color:	White/Warm White		
		Lighting Source:	Intergled		
		Lumen:	5500LM		
		IP Protective level:	IP65		
		Viewing Angle:	80°/120°		
		Material:	Aluminum alloy body		


10W Flood Light		Power:	1*10W	30,19 €	
		Input Voltage:	85-265V AC		
		Color:	R/G/B		
		Lighting Source:	Intergled		
		Lumen:	1100LM(Wihte color ^[n])		
		IP Protective level:	IP65		
		Viewing Angle:	80°/120°		
		Material:	aluminum alloy body		

50W Flood light		Power:	1*50W	72,52 €	
		Input Voltage:	85-265V AC		
		Color:	R/G/B/Y/W/WW		
		Lighting Source:	Intergled		
		Lumen:	5500LM(white color ^[n])		
		IP Protective level:	IP65		
		Viewing Angle:	80°/120°		
		Material:	aluminum alloy body		




70W Flood light	 www.vde-led.be	Power:	1*70W	137,17 €	
		Input Voltage:	85-265V AC		
		Color:	R/G/B/Y/W/WW		
		Lighting Source:	Intergled		
		Lumen:	7700LM(white color ^[n])		
		IP Protective level:	IP65		
		Viewing Angle:	80°/120°		
		material:	aluminum alloy body		

Track light	 www.vde-led.be	Power:	1*30W	99,92 €	use to indoor exhibition hall,cabinet lighting products,local cast light
		Input Voltage:	85-265V AC		
		Color:	white/Warm White		
		Lighting Source:	Intergled		
		Lumen:			
		IP Protective level:	IP67		
		Viewing Angle:	adjustable		
		material:	Die casting aluminum lamp body		

100W Tunnel lights	 www.vde-led.be	Power:	1*100W	181,35 €	choose imported the high- purity aluminum reflector from Germany.Lighting body with anti-aging silicone rubber sealing tape.LED tunel light source haven't the delay of the start.
		Input Voltage:	85-265V AC		
		Color:	white/Warm White		
		Lighting Source:	Intergled		
		Lumen:	11000LM		
		IP Protective level:	IP67		
		Viewing Angle:	80°/120°		
		material:	cast aluminum		



160W Tunnel Lights		Power:	1*80W*2	285,25 €	choose imported the high-purity aluminum reflector from Germany. Lighting body with anti-aging silicone rubber sealing tape. LED tunnel light source haven't the delay of the start.
		Input Voltage:	85-265V AC		
		Color:	white/Warm White		
		Lighting Source:	Intergled		
		Lumen:	17600LM		
		IP Protective level:	IP67		
		Viewing Angle:	80°/120°		
		material:	aluminum alloy body		